ELSEVIER

Chemical Physics 200 (1995) 445–448

Chemical Physics

Author index to volume 200

Aguilar, A., see González, M. 200 (1995) 289
Al-Adel, F., see Baskin, J.S. 200 (1995) 181
Allouche, A.R., M. Aubert-Frécon, G. Nicolas and F. Spiegelmann, Theoretical study of the electronic structure of the Ba_2 molecule 200 (1995) 63
Amoros, J., The roughness factor for polyatomic molecules from the shear viscosity coefficient 200 (1995) 281
Andrews, D.L., see Juzeliūnas, G. 200 (1995) 3
Aubert-Frécon, M., see Allouche, A.R. 200 (1995) 63

Bao-Zheng, Z., see Mei-Rong, L. 200 (1995) 439
Barbon, A., P. Lettinga and P.L. Nordio, Analysis of temperature dependent fluorescence polarization for dimethylaminobenzonitrile 200 (1995) 41
Basilevsky, M.V., A.V. Soudackov and M.V. Vener, Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres 200 (1995) 87
Baskin, J.S., F. Al-Adel and A. Hamdan, Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm 200 (1995) 181
Bässler, H., see Heun, S. 200 (1995) 265
Bauschlicher Jr., C.W., see Ricca, A. 200 (1995) 337
Belchior, J.C. and J.P. Braga, The symmetrization in the classical path approach applied to vibrational cross sections 200 (1995) 137
Benetis, N.P. and U.E. Nordh, Non-secular simulation of frequency domain two-pulse powder ESEEM signals in multinuclear systems 200 (1995) 107
Berlin, Yu.A., S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii, Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins 200 (1995) 369
Borsenberger, P., see Heun, S. 200 (1995) 265
Borsenberger, P.M., see Heun, S. 200 (1995) 245
Borsenberger, P.M. and M.B. O'Regan, The role of dipole moments on hole transport in triphenylamine doped poly(styrene) 200 (1995) 257
Braga, J.P., see Belchior, J.C. 200 (1995) 137
Bròdka, A., see Pasterny, K. 200 (1995) 79

Čápek, V. and E.A. Silinsh, Dynamics of electronic polarization in molecular crystals 200 (1995) 309
Chandra, A.K. and V. Sreedhara Rao, Further examination of the BEBO model with the results of ab initio calculations of a reaction series 200 (1995) 387
Chang, Y.-W. and N.S. Wang, Rates of the reactions $CN + H_2CO$ and $NCO + H_2CO$ in the temperature range 294–769 K 200 (1995) 431
Chekunaev, N.I., see Berlin, Yu.A. 200 (1995) 369

Daffertshofer, M., H. Port and H.C. Wolf, Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates 200 (1995) 225
Dai, S., L.M. Toth, G.D. Del Cul and D.H. Metcalf, Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study 200 (1995) 271
Del Cul, G.D., see Dai, S. 200 (1995) 271
Domcke, W., see Plöhn, H. 200 (1995) 11

Eggert, J.H., see Soos, Z.G. 200 (1995) 23

Faubel, M., see Gianturco, F.A. 200 (1995) 405
Fischer, S.F., see Berlin, Yu.A. 200 (1995) 369

Gai, H., see Ying-Chieh, 200 (1995) 357
Gianturco, F.A., F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe, A further test of the shape and anisotropy of the F–H_2 interaction potential 200 (1995) 405
Gilibert, M., see González, M. 200 (1995) 289
Goldanskii, V.I., see Berlin, Yu.A. 200 (1995) 369
González, M., M. Gilibert, A. Aguilar and R. Sayós, Influence of the potential energy surface on the reaction cross section: the K + HF → KF + H system 200 (1995) 289

Hamdan, A., see Baskin, J.S. 200 (1995) 181
Hamm, P., Coherent effects in femtosecond infrared spectroscopy 200 (1995) 415
Hanfland, M., see Soos, Z.G. 200 (1995) 23
Harju, T.O., A.H. Huizer and C.A.G.O. Varma, Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols 200 (1995) 215
Heinzinger, K., see Tóth, G. 200 (1995) 347
Hemley, R.J., see Soos, Z.G. 200 (1995) 23
Heun, S. and P.M. Borsenberger, A comparative study of hole transport in vapor-deposited molecular glasses of N,N′,N″,N‴-tetrakis(4-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine and N,N′-diphenyl-N,N′-bis(3-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine 200 (1995) 245
Heun, S., H. Bässler and P. Borsenberger, The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule 200 (1995) 265
Huizer, A.H., see Harju, T.O. 200 (1995) 215

Juranić, N., see Zolnai, Z. 200 (1995) 161
Juzeliūnas, G. and D.L. Andrews, Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase 200 (1995) 3

Kearley, G.J., see Navarro, A. 200 (1995) 395
Krempl, S., see Plöhn, H. 200 (1995) 11

Lettinga, P., see Barbon, A. 200 (1995) 41
López González, J.J., see Navarro, A. 200 (1995) 395
Lukzen, N.N., V.A. Morozov and R.Z. Sagdeev, The influence of ^{13}C nuclei on quantum beats in the recombination luminescence of radical ion pairs undergoing ion–molecular charge transfer 200 (1995) 119

Macura, S., see Zolnai, Z. 200 (1995) 161
Mao, H.-k., see Soos, Z.G. 200 (1995) 23
Markley, J.L., see Zolnai, Z. 200 (1995) 161
Marković, N., see Simonson, M. 200 (1995) 141
Martínez-Haya, B., see Gianturco, F.A. 200 (1995) 405
Mei-Rong, L., Z. Qing-Chun, L. Yao-Ming, Z. Bao-Zheng and C. Wen-Ju, Detection of higher excited states of *p*-fluorotoluene with (3 + 1)RMPI spectra 200 (1995) 439
Metcalf, D.H., see Dai, S. 200 (1995) 271
Meyer, Y.H. and P. Plaza, Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution 200 (1995) 235
Morozov, V.A., see Lukzen, N.N. 200 (1995) 119

Nakamatsu, H., Relation between X-ray absorption near-edge spectra and interatomic distances 200 (1995) 49
Navarro, A., J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia, Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine 200 (1995) 395
Nicolas, G., see Allouche, A.R. 200 (1995) 63
Nordh, U.E., see Benetis, N.P. 200 (1995) 107
Nordholm, S., see Simonson, M. 200 (1995) 141
Nordio, P.L., see Barbon, A. 200 (1995) 41
Novoa, J.J., see Rovira, M.C. 200 (1995) 319

O'Regan, M.B., see Borsenberger, P.M. 200 (1995) 257

Parker, S.F., see Navarro, A. 200 (1995) 395
Pasterny, K. and A. Bròdka, Rattling of carbon disulphide molecules in liquids 200 (1995) 79
Persson, B.J., see Simonson, M. 200 (1995) 141
Plaza, P., see Meyer, Y.H. 200 (1995) 235
Plöhn, H., S. Krempl, M. Winterstetter and W. Domcke, Path-integral treatment of the real-time dynamics of few-mode spin–boson models 200 (1995) 11
Port, H., see Daffertshofer, M. 200 (1995) 225

Qing-Chun, Z., see Mei-Rong, L. 200 (1995) 439

Ragnetti, F., see Gianturco, F.A. 200 (1995) 405
Ricca, A. and C.W. Bauschlicher Jr., The low-lying electronic states of YCu 200 (1995) 337
Rovira, M.C., J.J. Novoa, M.-H. Whangbo and J.M. Williams, Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies 200 (1995) 319
Rusin, L.Y., see Gianturco, F.A. 200 (1995) 405

Sagdeev, R.Z., see Lukzen, N.N. 200 (1995) 119
Sayós, R., see González, M. 200 (1995) 289
Silinsh, E.A., see Čápek, V. 200 (1995) 309
Simonson, M., N. Marković, S. Nordholm and B.J. Persson, Quasiclassical trajectory study of the C + NO reaction on a new potential energy surface 200 (1995) 141
Sivia, D.S., see Navarro, A. 200 (1995) 395

Sondermann, F., see Gianturco, F.A. 200 (1995) 405
Soos, Z.G., J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao, Charge transfer and electron–vibron coupling in dense solid hydrogen 200 (1995) 23
Soudackov, A.V., see Basilevsky, M.V. 200 (1995) 87
Spanget-Larsen, J., see Waluk, J. 200 (1995) 201
Spiegelmann, F., see Allouche, A.R. 200 (1995) 63
Spohr, E., see Tóth, G. 200 (1995) 347
Sreedhara Rao, V., see Chandra, A.K. 200 (1995) 387
Storozhev, A.V. and M.L. Strekalov, Rotational energy relaxation of symmetric top molecules by collisions with atoms 200 (1995) 125
Strekalov, M.L., see Storozhev, A.V. 200 (1995) 125

Tappe, U., see Gianturco, F.A. 200 (1995) 405
Thulstrup, E.W., see Waluk, J. 200 (1995) 201
Tomkinson, J., see Navarro, A. 200 (1995) 395
Tóth, G., E. Spohr and K. Heinzinger, SCF calculations of the interactions of alkali and halide ions with the mercury surface 200 (1995) 347
Toth, L.M., see Dai, S. 200 (1995) 271

Varma, C.A.G.O., see Harju, T.O. 200 (1995) 215
Vener, M.V., see Basilevsky, M.V. 200 (1995) 87
Voth, G.A., see Ying-Chieh, 200 (1995) 357

Waluk, J., J. Spanget-Larsen and E.W. Thulstrup, Electronic states of symmetrically disubstituted *s*-tetrazines 200 (1995) 201
Wang, N.S., see Chang, Y.-W. 200 (1995) 431
Wen-Ju, C., see Mei-Rong, L. 200 (1995) 439
Whangbo, M.-H., see Rovira, M.C. 200 (1995) 319
Williams, J.M., see Rovira, M.C. 200 (1995) 319
Winterstetter, M., see Plöhn, H. 200 (1995) 11
Wolf, H.C., see Daffertshofer, M. 200 (1995) 225

Yao-Ming, L., see Mei-Rong, L. 200 (1995) 439
Ying-Chieh,, H. Gai and G.A. Voth, Vibrational energy relaxation dynamics of Si–H stretching modes on stepped H/Si(111)1 × 1 surfaces 200 (1995) 357

Zolnai, Z., N. Juranić, J.L. Markley and S. Macura, Magnetization exchange network editing: mathematical principles and experimental demonstration 200 (1995) 161

ELSEVIER

Chemical Physics 200 (1995) 449–459

Chemical Physics

Subject index to volume 200

Methods

Theoretical

Classical mechanics

Influence of the potential energy surface on the reaction cross section: the K + HF → KF + H system, M. González, M. Gilibert, A. Aguilar and R. Sayós 200 (1995) 289

Quantized field theory

Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase, G. Juzeliūnas and D.L. Andrews 200 (1995) 3

Many body and quasiparticle approaches

Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase, G. Juzeliūnas and D.L. Andrews 200 (1995) 3

Path-integral treatment of the real-time dynamics of few-mode spin–boson models, H. Plöhn, S. Krempl, M. Winterstetter and W. Domcke 200 (1995) 11

Coupling schemes and perturbative treatments

Charge transfer and electron–vibron coupling in dense solid hydrogen, Z.G. Soos, J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao 200 (1995) 23

Transport quantum mechanics

Dynamics of electronic polarization in molecular crystals, V. Čápek and E.A. Silinsh 200 (1995) 309

Statistical mechanics of stationary states

Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study, S. Dai, L.M. Toth, G.D. Del Cul and D.H. Metcalf 200 (1995) 271

The roughness factor for polyatomic molecules from the shear viscosity coefficient, J. Amoros 200 (1995) 281

Non-equilibrium thermodynamic and hydrodynamic theories

Analysis of temperature dependent fluorescence polarization for dimethylaminobenzonitrile, A. Barbon, P. Lettinga and P.L. Nordio 200 (1995) 41

Ab initio schemes for stationary properties
Relation between X-ray absorption near-edge spectra and interatomic distances, H. Nakamatsu 200 (1995) 49
Theoretical study of the electronic structure of the Ba_2 molecule, A.R. Allouche, M. Aubert-Frécon, G. Nicolas and F. Spiegelmann 200 (1995) 63
Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies, M.C. Rovira, J.J. Novoa, M.-H. Whangbo and J.M. Williams 200 (1995) 319
The low-lying electronic states of YCu, A. Ricca and C.W. Bauschlicher Jr. 200 (1995) 337
SCF calculations of the interactions of alkali and halide ions with the mercury surface, G. Tóth, E. Spohr and K. Heinzinger 200 (1995) 347

Computational and simulation methods
Relation between X-ray absorption near-edge spectra and interatomic distances, H. Nakamatsu 200 (1995) 49
Rattling of carbon disulphide molecules in liquids, K. Pasterny and A. Bròdka 200 (1995) 79
Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres, M.V. Basilevsky, A.V. Soudackov and M.V. Vener 200 (1995) 87
Non-secular simulation of frequency domain two-pulse powder ESEEM signals in multinuclear systems, N.P. Benetis and U.E. Nordh 200 (1995) 107
The influence of ^{13}C nuclei on quantum beats in the recombination luminescence of radical ion pairs undergoing ion–molecular charge transfer, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 200 (1995) 119
Influence of the potential energy surface on the reaction cross section: the $K + HF \rightarrow KF + H$ system, M. González, M. Gilibert, A. Aguilar and R. Sayós 200 (1995) 289
Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies, M.C. Rovira, J.J. Novoa, M.-H. Whangbo and J.M. Williams 200 (1995) 319
Vibrational energy relaxation dynamics of Si–H stretching modes on stepped H/Si(111)1 $\times$ 1 surfaces, Ying-Chieh, H. Gai and G.A. Voth 200 (1995) 357
Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins, Yu.A. Berlin, S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii 200 (1995) 369
Further examination of the BEBO model with the results of ab initio calculations of a reaction series, A.K. Chandra and V. Sreedhara Rao 200 (1995) 387
Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine, A. Navarro, J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia 200 (1995) 395

Molecular dynamics and scattering theory
Rotational energy relaxation of symmetric top molecules by collisions with atoms, A.V. Storozhev and M.L. Strekalov 200 (1995) 125
The symmetrization in the classical path approach applied to vibrational cross sections, J.C. Belchior and J.P. Braga 200 (1995) 137
Quasiclassical trajectory study of the C + NO reaction on a new potential energy surface, M. Simonson, N. Marković, S. Nordholm and B.J. Persson 200 (1995) 141

Influence of the potential energy surface on the reaction cross section: the K + HF → KF + H system, M. González, M. Gilibert, A. Aguilar and R. Sayós 200 (1995) 289
A further test of the shape and anisotropy of the F–H_2 interaction potential, F.A. Gianturco, F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe 200 (1995) 405

Experimental

Magnetic resonances

Magnetization exchange network editing: mathematical principles and experimental demonstration, Z. Zolnai, N. Juranić, J.L. Markley and S. Macura 200 (1995) 161

Infrared spectroscopy

Charge transfer and electron–vibron coupling in dense solid hydrogen, Z.G. Soos, J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao 200 (1995) 23
Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study, S. Dai, L.M. Toth, G.D. Del Cul and D.H. Metcalf 200 (1995) 271
Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine, A. Navarro, J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia 200 (1995) 395
Coherent effects in femtosecond infrared spectroscopy, P. Hamm 200 (1995) 415

Raman spectroscopy

Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine, A. Navarro, J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia 200 (1995) 395

Visible and UV spectroscopy

Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm, J.S. Baskin, F. Al-Adel and A. Hamdan 200 (1995) 181
Electronic states of symmetrically disubstituted *s*-tetrazines, J. Waluk, J. Spanget-Larsen and E.W. Thulstrup 200 (1995) 201

Fluorescence spectroscopy

Analysis of temperature dependent fluorescence polarization for dimethylaminobenzonitrile, A. Barbon, P. Lettinga and P.L. Nordio 200 (1995) 41
Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm, J.S. Baskin, F. Al-Adel and A. Hamdan 200 (1995) 181

Laser methods

Rates of the reactions CN + H_2CO and NCO + H_2CO in the temperature range 294–769 K, Y.-W. Chang and N.S. Wang 200 (1995) 431

Picosecond spectroscopy

Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols, T.O. Harju, A.H. Huizer and C.A.G.O. Varma 200 (1995) 215
Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates, M. Daffertshofer, H. Port and H.C. Wolf 200 (1995) 225

Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution, Y.H. Meyer and P. Plaza 200 (1995) 235

Coherent optical spectroscopy
Coherent effects in femtosecond infrared spectroscopy, P. Hamm 200 (1995) 415

Multiple resonance spectroscopy
Detection of higher excited states of *p*-fluorotoluene with (3 + 1)RMPI spectra, L. Mei-Rong, Z. Qing-Chun, L. Yao-Ming, Z. Bao-Zheng and C. Wen-Ju 200 (1995) 439

Atomic and molecular beam techniques
Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm, J.S. Baskin, F. Al-Adel and A. Hamdan 200 (1995) 181

Time-resolved experiments
Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols, T.O. Harju, A.H. Huizer and C.A.G.O. Varma 200 (1995) 215
A comparative study of hole transport in vapor-deposited molecular glasses of N,N′,N″, N‴-tetrakis(4-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine and N,N′-diphenyl-N,N′-bis(3-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine, S. Heun and P.M. Borsenberger 200 (1995) 245
The role of dipole moments on hole transport in triphenylamine doped poly(styrene), P.M. Borsenberger and M.B. O'Regan 200 (1995) 257
The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule, S. Heun, H. Bässler and P. Borsenberger 200 (1995) 265
Coherent effects in femtosecond infrared spectroscopy, P. Hamm 200 (1995) 415
Rates of the reactions CN + H_2CO and NCO + H_2CO in the temperature range 294–769 K, Y.-W. Chang and N.S. Wang 200 (1995) 431

Measurement of macroscopic variables
Rotational energy relaxation of symmetric top molecules by collisions with atoms, A.V. Storozhev and M.L. Strekalov 200 (1995) 125

Objects

Bulk systems

Gases
Rotational energy relaxation of symmetric top molecules by collisions with atoms, A.V. Storozhev and M.L. Strekalov 200 (1995) 125
Rates of the reactions CN + H_2CO and NCO + H_2CO in the temperature range 294–769 K, Y.-W. Chang and N.S. Wang 200 (1995) 431

Supersonic beams
Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm, J.S. Baskin, F. Al-Adel and A. Hamdan 200 (1995) 181

Liquids neat
Rattling of carbon disulphide molecules in liquids, K. Pasterny and A. Bròdka 200 (1995) 79
Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols, T.O. Harju, A.H. Huizer and C.A.G.O. Varma 200 (1995) 215
The roughness factor for polyatomic molecules from the shear viscosity coefficient, J. Amoros 200 (1995) 281

Liquid mixtures and solutions
Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres, M.V. Basilevsky, A.V. Soudackov and M.V. Vener 200 (1995) 87

Crystals
Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study, S. Dai, L.M. Toth, G.D. Del Cul and D.H. Metcalf 200 (1995) 271
Dynamics of electronic polarization in molecular crystals, V. Čápek and E.A. Silinsh 200 (1995) 309

Glasses
A comparative study of hole transport in vapor-deposited molecular glasses of N,N′,N″, N‴-tetrakis(4-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine and N,N′-diphenyl-N,N′-bis(3-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine, S. Heun and P.M. Borsenberger 200 (1995) 245

Polymers
Electronic states of symmetrically disubstituted *s*-tetrazines, J. Waluk, J. Spanget-Larsen and E.W. Thulstrup 200 (1995) 201
The role of dipole moments on hole transport in triphenylamine doped poly(styrene), P.M. Borsenberger and M.B. O'Regan 200 (1995) 257
The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule, S. Heun, H. Bässler and P. Borsenberger 200 (1995) 265

Semiconductors
Vibrational energy relaxation dynamics of Si–H stretching modes on stepped H/Si(111)1 × 1 surfaces, Ying-Chieh, H. Gai and G.A. Voth 200 (1995) 357

Thin films
Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates, M. Daffertshofer, H. Port and H.C. Wolf 200 (1995) 225

Surfaces
Vibrational energy relaxation dynamics of Si–H stretching modes on stepped H/Si(111)1 × 1 surfaces, Ying-Chieh, H. Gai and G.A. Voth 200 (1995) 357

Dielectrics
Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase, G. Juzeliūnas and D.L. Andrews 200 (1995) 3

Biological systems
Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins, Yu.A. Berlin, S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii 200 (1995) 369

Microscopic systems

Atoms
A further test of the shape and anisotropy of the F–H_2 interaction potential, F.A. Gianturco, F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe 200 (1995) 405

Molecules (neutral and ionic)
Theoretical study of the electronic structure of the Ba_2 molecule, A.R. Allouche, M. Aubert-Frécon, G. Nicolas and F. Spiegelmann 200 (1995) 63
Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres, M.V. Basilevsky, A.V. Soudackov and M.V. Vener 200 (1995) 87
Further examination of the BEBO model with the results of ab initio calculations of a reaction series, A.K. Chandra and V. Sreedhara Rao 200 (1995) 387

-diatomic
Theoretical study of the electronic structure of the Ba_2 molecule, A.R. Allouche, M. Aubert-Frécon, G. Nicolas and F. Spiegelmann 200 (1995) 63
The symmetrization in the classical path approach applied to vibrational cross sections, J.C. Belchior and J.P. Braga 200 (1995) 137
The low-lying electronic states of YCu, A. Ricca and C.W. Bauschlicher Jr. 200 (1995) 337
A further test of the shape and anisotropy of the F–H_2 interaction potential, F.A. Gianturco, F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe 200 (1995) 405

-small polyatomics
Rotational energy relaxation of symmetric top molecules by collisions with atoms, A.V. Storozhev and M.L. Strekalov 200 (1995) 125

-aromatics
Electronic states of symmetrically disubstituted *s*-tetrazines, J. Waluk, J. Spanget-Larsen and E.W. Thulstrup 200 (1995) 201
Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols, T.O. Harju, A.H. Huizer and C.A.G.O. Varma 200 (1995) 215
Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates, M. Daffertshofer, H. Port and H.C. Wolf 200 (1995) 225
Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution, Y.H. Meyer and P. Plaza 200 (1995) 235
A comparative study of hole transport in vapor-deposited molecular glasses of N,N′,N″, N‴-tetrakis(4-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine and N,N′-diphenyl-N,N′-bis(3-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine, S. Heun and P.M. Borsenberger 200 (1995) 245
The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule, S. Heun, H. Bässler and P. Borsenberger 200 (1995) 265

Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine, A. Navarro, J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia 200 (1995) 395

-other large

Detection of higher excited states of *p*-fluorotoluene with (3 + 1)RMPI spectra, L. Mei-Rong, Z. Qing-Chun, L. Yao-Ming, Z. Bao-Zheng and C. Wen-Ju 200 (1995) 439

-polymeric and biological

Magnetization exchange network editing: mathematical principles and experimental demonstration, Z. Zolnai, N. Juranić, J.L. Markley and S. Macura 200 (1995) 161

Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins, Yu.A. Berlin, S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii 200 (1995) 369

Molecular aggregates

Charge transfer and electron–vibron coupling in dense solid hydrogen, Z.G. Soos, J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao 200 (1995) 23

Dynamics of electronic polarization in molecular crystals, V. Čápek and E.A. Silinsh 200 (1995) 309

SCF calculations of the interactions of alkali and halide ions with the mercury surface, G. Tóth, E. Spohr and K. Heinzinger 200 (1995) 347

-dimers

Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies, M.C. Rovira, J.J. Novoa, M.-H. Whangbo and J.M. Williams 200 (1995) 319

-complexes

Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study, S. Dai, L.M. Toth, G.D. Del Cul and D.H. Metcalf 200 (1995) 271

Free radicals (including hydronium and muonium)

Non-secular simulation of frequency domain two-pulse powder ESEEM signals in multinuclear systems, N.P. Benetis and U.E. Nordh 200 (1995) 107

The influence of ^{13}C nuclei on quantum beats in the recombination luminescence of radical ion pairs undergoing ion–molecular charge transfer, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 200 (1995) 119

Rates of the reactions $CN + H_2CO$ and $NCO + H_2CO$ in the temperature range 294–769 K, Y.-W. Chang and N.S. Wang 200 (1995) 431

Quasiparticles (including excitons)

Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase, G. Juzeliūnas and D.L. Andrews 200 (1995) 3

Ions and charge carriers

The role of dipole moments on hole transport in triphenylamine doped poly(styrene), P.M. Borsenberger and M.B. O'Regan 200 (1995) 257

Phenomena

Molecular structure

Magnetization exchange network editing: mathematical principles and experimental demonstration, Z. Zolnai, N. Juranić, J.L. Markley and S. Macura 200 (1995) 161

Electronic states of symmetrically disubstituted *s*-tetrazines, J. Waluk, J. Spanget-Larsen and E.W. Thulstrup 200 (1995) 201

Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies, M.C. Rovira, J.J. Novoa, M.-H. Whangbo and J.M. Williams 200 (1995) 319

Vibrations and rotations of molecules

Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm, J.S. Baskin, F. Al-Adel and A. Hamdan 200 (1995) 181

Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study, S. Dai, L.M. Toth, G.D. Del Cul and D.H. Metcalf 200 (1995) 271

A further test of the shape and anisotropy of the F–H_2 interaction potential, F.A. Gianturco, F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe 200 (1995) 405

Coherent effects in femtosecond infrared spectroscopy, P. Hamm 200 (1995) 415

Detection of higher excited states of *p*-fluorotoluene with (3 + 1)RMPI spectra, L. Mei-Rong, Z. Qing-Chun, L. Yao-Ming, Z. Bao-Zheng and C. Wen-Ju 200 (1995) 439

Electronic structure and states

Charge transfer and electron–vibron coupling in dense solid hydrogen, Z.G. Soos, J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao 200 (1995) 23

Theoretical study of the electronic structure of the Ba_2 molecule, A.R. Allouche, M. Aubert-Frécon, G. Nicolas and F. Spiegelmann 200 (1995) 63

Electronic states of symmetrically disubstituted *s*-tetrazines, J. Waluk, J. Spanget-Larsen and E.W. Thulstrup 200 (1995) 201

Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution, Y.H. Meyer and P. Plaza 200 (1995) 235

The low-lying electronic states of YCu, A. Ricca and C.W. Bauschlicher Jr. 200 (1995) 337

Electric and magnetic properties

A comparative study of hole transport in vapor-deposited molecular glasses of N,N′,N″,N‴-tetrakis(4-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine and N,N′-diphenyl-N,N′-bis(3-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine, S. Heun and P.M. Borsenberger 200 (1995) 245

The role of dipole moments on hole transport in triphenylamine doped poly(styrene), P.M. Borsenberger and M.B. O'Regan 200 (1995) 257

The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule, S. Heun, H. Bässler and P. Borsenberger 200 (1995) 265

Spin splittings
Non-secular simulation of frequency domain two-pulse powder ESEEM signals in multinuclear systems, N.P. Benetis and U.E. Nordh 200 (1995) 107
The influence of ^{13}C nuclei on quantum beats in the recombination luminescence of radical ion pairs undergoing ion–molecular charge transfer, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 200 (1995) 119

Molecular interactions
Quasiclassical trajectory study of the C + NO reaction on a new potential energy surface, M. Simonson, N. Marković, S. Nordholm and B.J. Persson 200 (1995) 141
Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols, T.O. Harju, A.H. Huizer and C.A.G.O. Varma 200 (1995) 215
The role of dipole moments on hole transport in triphenylamine doped poly(styrene), P.M. Borsenberger and M.B. O'Regan 200 (1995) 257
The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule, S. Heun, H. Bässler and P. Borsenberger 200 (1995) 265
Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies, M.C. Rovira, J.J. Novoa, M.-H. Whangbo and J.M. Williams 200 (1995) 319
SCF calculations of the interactions of alkali and halide ions with the mercury surface, G. Tóth, E. Spohr and K. Heinzinger 200 (1995) 347
Further examination of the BEBO model with the results of ab initio calculations of a reaction series, A.K. Chandra and V. Sreedhara Rao 200 (1995) 387
A further test of the shape and anisotropy of the F–H_2 interaction potential, F.A. Gianturco, F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe 200 (1995) 405

Spectral bandshapes and intensities
Relation between X-ray absorption near-edge spectra and interatomic distances, H. Nakamatsu 200 (1995) 49
Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution, Y.H. Meyer and P. Plaza 200 (1995) 235

Coupling of electronic and nuclear motion
Path-integral treatment of the real-time dynamics of few-mode spin–boson models, H. Plöhn, S. Krempl, M. Winterstetter and W. Domcke 200 (1995) 11
Charge transfer and electron–vibron coupling in dense solid hydrogen, Z.G. Soos, J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao 200 (1995) 23

Energy transfer processes
Rotational energy relaxation of symmetric top molecules by collisions with atoms, A.V. Storozhev and M.L. Strekalov 200 (1995) 125
The symmetrization in the classical path approach applied to vibrational cross sections, J.C. Belchior and J.P. Braga 200 (1995) 137
Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates, M. Daffertshofer, H. Port and H.C. Wolf 200 (1995) 225
Dynamics of electronic polarization in molecular crystals, V. Čápek and E.A. Silinsh 200 (1995) 309

Vibrational energy relaxation dynamics of Si–H stretching modes on stepped H/Si(111)1 × 1 surfaces, Ying-Chieh, H. Gai and G.A. Voth 200 (1995) 357

Molecular photophysical processes
Analysis of temperature dependent fluorescence polarization for dimethylaminobenzonitrile, A. Barbon, P. Lettinga and P.L. Nordio 200 (1995) 41
Relation between X-ray absorption near-edge spectra and interatomic distances, H. Nakamatsu 200 (1995) 49

Intramolecular dynamics
Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine, A. Navarro, J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia 200 (1995) 395

-vibrational energy redistribution (including vibrational dissociation)
Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution, Y.H. Meyer and P. Plaza 200 (1995) 235
Coherent effects in femtosecond infrared spectroscopy, P. Hamm 200 (1995) 415

Luminescence spectra, yields and lifetimes
Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates, M. Daffertshofer, H. Port and H.C. Wolf 200 (1995) 225
The low-lying electronic states of YCu, A. Ricca and C.W. Bauschlicher Jr. 200 (1995) 337

Multiphoton phenomena
Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase, G. Juzeliūnas and D.L. Andrews 200 (1995) 3
Detection of higher excited states of *p*-fluorotoluene with (3 + 1)RMPI spectra, L. Mei-Rong, Z. Qing-Chun, L. Yao-Ming, Z. Bao-Zheng and C. Wen-Ju 200 (1995) 439

Reactions (including dissociation)
Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres, M.V. Basilevsky, A.V. Soudackov and M.V. Vener 200 (1995) 87

-gas phase
Quasiclassical trajectory study of the C + NO reaction on a new potential energy surface, M. Simonson, N. Marković, S. Nordholm and B.J. Persson 200 (1995) 141
Influence of the potential energy surface on the reaction cross section: the K + HF → KF + H system, M. González, M. Gilibert, A. Aguilar and R. Sayós 200 (1995) 289
Rates of the reactions CN + H_2CO and NCO + H_2CO in the temperature range 294–769 K, Y.-W. Chang and N.S. Wang 200 (1995) 431

-condensed phase
Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres, M.V. Basilevsky, A.V. Soudackov and M.V. Vener 200 (1995) 87
Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins, Yu.A. Berlin, S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii 200 (1995) 369

Electron transfer
Path-integral treatment of the real-time dynamics of few-mode spin–boson models, H. Plöhn, S. Krempl, M. Winterstetter and W. Domcke 200 (1995) 11
Dynamics of electronic polarization in molecular crystals, V. Čápek and E.A. Silinsh 200 (1995) 309

Ionization (including Rydberg states)
Relation between X-ray absorption near-edge spectra and interatomic distances, H. Nakamatsu 200 (1995) 49

Molecular motion (including diffusive)
Rattling of carbon disulphide molecules in liquids, K. Pasterny and A. Bròdka 200 (1995) 79
Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins, Yu.A. Berlin, S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii 200 (1995) 369

Thermodynamic and transport properties
The roughness factor for polyatomic molecules from the shear viscosity coefficient, J. Amoros 200 (1995) 281